

# LIBERTY™ NEXGEN-FYRE™ WOOD BURNING STOVE




**2020 EPA  
CERTIFIED**

## THE ULTIMATE WHOLE HOUSE HEATER

The Liberty™ is a large stove made for heating large homes and living spaces. At only 2.5 grams of emissions per hour, it is one of the cleanest burning large stoves approved by the EPA. The huge firebox and fire viewing area allow you to load wood up to 24" long and fully appreciate the splendor of the fire. It also features a single control to adjust air flow, making it easy to achieve burn times up to 12 hours. This stove comes standard with a bypass damper and easy-glide ash pan. The Liberty's step-top design is enchanting yet functional, providing cooking and warming surfaces as well as radiant and convective heat.

The Liberty™ features our revolutionary GreenStart™ option for the modern wood burner; just load your wood and push a button! We've completely eliminated slow, cracked open door startups and laboring over fickle newspaper.



# LIBERTY™ NEXGEN-FYRE™ STOVE

## NEXGEN-FYRE™

NexGen-Fyre™ takes our non-catalytic wood burning technology to the next level! With NexGen-Fyre™, primary and secondary combustion are harnessed to create the ultimate blended combustion system that produces beautiful, balanced fires with double the BTU range, up to 50% greater heat output, and longer burn times than any other non-catalytic technology.

### SPECIFICATIONS

Emissions:	2.5 Grams Per Hour
Heating Capacity:*	Up to 2,000 Square Feet
EPA Tested BTUs:	15,155 to 63,239
"Real World BTUs":	<i>EPA tests to determine BTU output are achieved with a single load of wood at each burn rate. At home, you are likely to add more wood to your insert to maintain your desired comfort level. By the simple process of loading your fireplace insert with additional wood, you could achieve up to a 20% higher heat output than established during EPA testing.</i>
Construction:	5/16" to 3/16" Steel Plate
Efficiency:*	Up to 70% HHV
Glass Area:	232 sq. in (21-1/4" W x 11-3/4" T)

\* Heating capacity may vary depending on degree of home insulation, floor plan and ambient temperature zone of the area you live.



\*\*As tested using B-415.1 using Cord Wood. HHV = High Heat Value

Maximum Burn Time:	Up to 12 Hours
Firebox Size:	3.65 Cubic Feet
Maximum Log Size:	24"
Bypass Damper:	Yes
Weight:	570 Pounds

### OPTIONS

- 400 CFM Convection Fan
- Outside Air Kit
- **GREEN START™** Igniter

### CLEARANCES & HEARTH PROTECTION



	Single Wall Connector	Double Wall Connector
A	16"	16"
B	15"	10"
C	9-1/2"	7-1/2"
D	28"	27-1/2"
E	18-1/4"	12-3/4"
F	21"	18-1/2"
	USA	Canada
G	16"	18"
H	6"	8"
I	6"	8"



Manufactured in  
Mukilteo, WA  
By Travis Industries  
© 08/2021